NPIC/R-842/64 September 1964



Copy **1 4 1** 12 Pages

PHOTOGRAPHIC INTERPRETATION REPORT

ICBM COMPLEX TYUMEN, USSR






25X

WARNING

Declassification Review by NIMA/DoD

25X

NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER



TOP SECRET
Approved For Release 2004/02/11: CIA-RDP78B04560A002800010013-4

GROUP (
Excluded from automatic
downgrading and declassification

25X1 25X1


PHOTOGRAPHIC INTERPRETATION REPORT

ICBM COMPLEX TYUMEN, USSR

NPIC/R-842/64

September 1964

NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER



25X1

25X1D

25X1D

25X1A

25X1A

NPIC/R-842/64

ICBM COMPLEX, TYUMEN, USSR INTRODUCTION

The Tyumen ICBM Complex is located in a heavily wooded area about 21 nautical miles (nm) south-southeast of Tyumen, near the village of Bogandinskaya (Figure 1). The surrounding terrain is generally level, with an average elevation of about 200-300 feet. The complex, which extends about 14 nm in an east-west direction, consists of a complex support facility, a rail-to-road transfer point, and two Type IIC launch areas. The complex also includes an area an abandoned launch area (Area B). Rail service is provided by

a branch from the Tyumen-Ishim rail line. Powerline traces are evident within the complex.

There was no evidence of the complex in It was first identified

on photography of

and has been covered by subsequent missions.

Two SAM sites have been identified in the vicinity of the complex:

> Tyumen ICBM Complex SAM Site C22-2, BE No

Shatrovo SAM Site A32-2, BE No

FIGURE 2. COMPLEX SUPPORT FACILITY.

25X1D

25X1 25X1

- 1 -

Approved For Release 2004/02/11 : CIA-RDP78B04560A002800010013-4

25X1D

25X1 -

NPIC/R-842/64

≈25X1

*25X1

COMPLEX SUPPORT FACILITY

The complex support facility, situated at 56-52N 65-51E, consists of a railhead and storage area and a large administration and housing area (Figures 2 and 3).

The railhead and storage area contains four rail spurs and a siding, the spurs ranging in length from about 1,800 to 2,800 feet. Approximately 50 buildings in the area include

25X1D




FIGURE 3. LAYOUT OF COMPLEX SUPPORT FACILITY.

- 2 -

Approved For Release 2004/02/11 : CIA-RDP78B04560A002800010013-4

25X1

25X1

Approved Fdr Release 2004/02/11 : CIA-RDP78B04560A002800010013-4


25X1 25X1

NPIC/R-842/64

11 of the warehouse type. There are two concrete batch plants, and extensive open storage, parts of which appear to be enclosed by board fences or walls. A vehicle/equipment pool is situated on the northeast side of the area, and an unidentified road-connected clearing is situated about 1,200 feet to the west of the area.

The administration and housing area, situ-

ated to the north of the railhead and storage area, contains about 120 buildings of which 34 are probably family-type dwellings, 39 are large and small barracks type, 6 are T-shaped, and several are large administration type. A secured section in the northeast corner of the area contains seven buildings.




- 3 -

Approved For Release 2004/02/11 : CIA-RDP78B04560A00280001

25X1 25X1

Approved For Release 2004/02/11 : CIA-RDP78B04560A002800010013-4



Approved For Release 2004/02/11 : CIA-RDP78B04560A002800010013-4

X1	Approved For Release 2004/62/1	ETIA-RDP78B04560A002800010013-4 NPIC/R-842/64	25 2 5
	RAIL-TO-ROAD TR	ANSFER POINT	•
	The rail-to-road transfer point (Figure 4) is about 2.5 nm west-northwest of the complex support facility at the terminus of a rail spur extending from the branch line which serves the complex support facility. At the transfer point, the rail line divides into two short parallel spurs, about 900 and 1,800 feet long, and about 200 feet apart. A well-engineered road con-	nects the transfer point to the complex main road. A large building next to the northern spur appears to be the storage and transfer building; there are eight other buildings in the area. A powerline trace parallels the rail line from the complex support facility; a ditch leads north from it near the dividing point of the two short spurs.	•
	LAUNCH	AREA A	#
25X1E 25X1E 25X1E 25X1E 25X1E	and it can be negated in Construction was considered complete in	The site support facility, about 2,500 feet south-southeast of the launch site, contains about 50 buildings, including 14 large barracks type, 20 small barracks type, 4 T-shaped, and a few administration type. The electronic facility, situated in a cleared area about 8,000 feet east-northeast of the launch site, has two ground scars which bisect at right angles with a small structure apparent at each end and a small mound near the center. The scars are oriented on azimuths of 75/255 and 165/345 degrees, and each leg is about 625 feet long.	25 25
	LAUNCH AREA	B (ABANDONED)	
25X1	Launch Area B is now considered to be abandoned; no construction activity has taken place since when the site was considered to be in the midstage of	construction. The access road and center service road appear to have been used recently, but there is no other evidence of activity within the site or site support facility.	•
	LAUNCH	AREA C	
	Launch Area C, consisting of a completed Type IIC launch site, a site support facility, and an electronic facility (Figure 7), is situated in a wooded area 13.9 nm west of the complex sup-	port facility. First seen in it can be negated on photography of and was considered to have been complete in	25X 25X 25X 25X 25X

25X1

25X1

NPIC/R-842/64




FIGURE 7. LAUNCH AREA C.

25X1

- 7 -

25X1 25X1

1	Approved For Release 2004/	RET 02/11 CIA-RDP78B04560A002800010013-4	25
		NPIC/R-842/64	2 5
security obscured earth-ban	launch site is enclosed by a single fence which is, however, partially by heavy foliage on two sides. An aked missile-ready building is inline feet behind each launch pad. There	bunker on the left side of each pad. Three other bunkers are situated between the pads.	25 25
is a bunk	der on either side of each launch pad; wer projects from the inner end of the	The site support facility, about 2,400 feet	•
1D			
			•
			•
			⊕ 5
			4
			•

- 8 -


NPIC/R-842/64

south-southeast of the launch site, contains 10 large barracks-type buildings, 10 small barracks-type buildings, one T-shaped and L-shaped building, and at least 12 others. There is a small vehicle/equipment pool on the east side of the facility.

25X1

The electronic facility, situated in a cleared

area about 3,700 feet east-northeast of the launch site, has two ground scars which bisect at right angles with a small structure apparent at each end and a small mound near the center. The scars are oriented on azimuths of 75/255 and 165/345 degrees, and each leg is about 625 feet long.



- 9 -

X1 /	Approved For	Release 2004	IDZIMKEIA-R	DP78B04560A0	002800010013-4	
25X1D					NPIC/R-842/	64
			REFERENCES			
PHOTOGRAPHY Mission	Date	Pass	REFERENCES Camera	Frame	Classification	_
	Date			Frame	Classification	
Mission MAI		Pass	Camera			
Mission MAI		Pass	Camera	Frame scale 1:200,000 (SEC		
MAI SAC. US Air T		Pass	Camera			
MAI SAC. US Air T		Pass	Camera			

Approved For Release 2004/02/11 : CIA-RDP78B04560A0028000 10013-4 TOP SECRET

_ 25X1

Approved For Release 3004/03211 RE1A-RDP78B04560A002800010013-4